

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 11]

NEW DELHI, SATURDAY, MARCH 12, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th February, 1955

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
STATES PARTS (A) & (C)															
Ajmer								Bhopal							
TOTAL								"N.R."							
(Estd. mid-year pop. 741 thousands.)								Bihar							
Total for w/e 5-2-55								Gaya							
Total for w/e 29-1-55								Shahabad							
7-yearly mean for the week								Saharsa							
								Santal Parganas							
								Manbhum							
Andhra								TOTAL							
Srikakulam								(Estd. mid-year pop. 41,828 thousands.)							
Visakhapatnam								Total for w/e 5-2-55							
Godavari East								Total for w/e 29-1-55							
Godavari West								7-yearly mean for the week							
Krishna															
Guntur								Bombay							
Nellore								Greater Bombay							
Kurnool								Kaira							
Cuddapah								Broach							
Anantapur								Panch Mahals							
Chittoor								Thana							
TOTAL								Satara South							
(Estd. mid-year pop. 21,013 thousands.)								Ahmednagar							
Total for w/e 5-2-55								East Khandesh							
Total for w/e 29-1-55								West Khandesh							
7-yearly mean for the week								Amreli							
								Nasik							
Assam								Poona							
Nowgong								Satara North							
TOTAL								Sabarkantha							
(Estd. mid-year pop. 9,672 thousands.)								Bijapur							
Total for w/e 5-2-55								Dharwar							
Total for w/e 29-1-55															
7-yearly mean for the week															

Explanation of Symbols used: C. = Cases; D. = Deaths; . . = Nil; N. R. = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th February, 1955—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Punjab (I)								Uttar Pradesh—<i>contd.</i>							
Karnal	4	I			Hardoi	7	I		
Ambala	I			Kheri	20	4		
Ludhiana	I			Pratapgarh	I	I		
Perozepur	2			Rampur	3	4		
TOTAL	8	I			TOTAL	124	35	I	I		
Census pop. 12,641 thousands.)								(Estd. mid-year pop. 66,112 thousands.)							
Total for w/e 5-2-55	4	I			Total for w/e 5-2-55	155	71	I	I		
Total for w/e 29-1-55	17	4			Total for w/e 29-1-55	134	46	6	2		
7-yearly mean for the week	24	5			7-yearly mean for the week	I	140	53	132	49		
Tripura								Vindhya Pradesh							
TOTAL	I			TOTAL	132	7		
(Estd. mid-year pop. 694 thousands.)								(Estd. mid-year pop. 3,665 thousands.)							
Total for w/e 5-2-55			Total for w/e 5-2-55	8		
Total for w/e 29-1-55	I	..	2			Total for w/e 29-1-55	86	8		
Uttar Pradesh								West Bengal							
Dehra Dun	8	I			Burdwan	4	5
Saharanpur	12	2			Midnapur	2	2	11	I
Muzaffarnagar	11	6			24-Parganas	2	..	10	3
Meerut	I	I			Calcutta	I	I
Agra	11	I			West Dinajpur	I
Mainpuri	2			TOTAL	8	7	23	5
Bareilly	I	I			(Estd. mid-year pop. 26,099 thousands.)							
Bijnor	2			Total for w/e 5-2-55	35	16	18	4
Shahjahanpur	4	2			Total for w/e 29-1-55	11	7	20	11
Pilibhit	2	I			7-yearly mean for the week	354	181	226	84
Farrukhabad	I			Grand Total for States Parts (A) & (C) (excluding Madhya Pradesh, Bhopal, and Himachal Pradesh) 160	..	83	824	130	I	I	
Etawah	I			Corresponding (Estd. mid-year pop. 2,98,734 thousands.)							
Kanpur	3	2			Corresponding Total for w/e 5-2-55	..	146	77	1,066	195	I	I
Patehpur	I			Corresponding Total for w/e 29-1-55	..	190	111	1,034	189	6	2
Allahabad	I	I										
Garhwal	I										
Lucknow	32	8										

Explanation of Symbols used: C=Cases; D=Deaths; ..=Nil ; N. R.=Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 12th February, 1955

Deaths from :—

Town	Mid-year Popn. Est. (000)	B	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Part A and Part C)													
Ajmer													
Andhra													
Adoni	61	33	38.2	1	4	..	10	8.5	3
Anantapur	36	30	43.2	1	3	..	13	18.7	1
Anakapalli	45	29	33.5	8	..	1	..	16	18.5	4
Bhimavaram	35	22	28.3	3	4.5	..
Chirala	42	21	26.1	3	..	1	..	14	17.3	..
Chittoor†													
Cuddapah	41	18	23.2	2	1	5	3	1	21	27.1	4
Eluru	97	45	24.1	4	1	1	1	18	9.7	3
Gudivada	35	24	35.7	3	1	3	..	9	13.4	3
Guntur†													
Guntakal †													
Kakinada	111	54	25.3	5	2	1	..	29	9.8	9
Kurnool†													
Masulipatnam	86	35	21.1	..	1	3	13	7.8	..
Nandyal	37	15	21.1	1	3	..	6	8.4	1
Nellore	92	63	35.4	8	9	9	2	59	33.2	13
Proddatur	41	30	38.7	2	1	1	13	16.8	3
Rajahmundry	119	51	22.1	..	1	..	5	1	1	..	27	11.8	3
Tenali	65	38	30.4	..	2	..	1	1	2	..	10	8.0	2
Vijaiwada†													
Visakhapatnam	124	63	26.5	4	34	13.1	7
Vizianagram	74	33	23.2	3	..	2	..	22	15.4	6
TOTAL	1,141	604	27.4	4	3	..	41	30	35	5	317	14.4	62
Assam													
Bombay													
Ahmedabad	870	577	34.4	9	1	74	..	209	12.4	70
Ahmednagar	87	51	30.4	5	..	13	7.7	2
Amalner	49	31	32.8	2	10	10.6	2
Bagalkot	36	21	30.3	4	..	13	18.7	..
Baroda	237	186	40.8	14	3	7	1	56	12.2	14
Barsi	45	32	36.9	2	1	9	10.3	2
Belgaum	109	29	13.8	4	20	9.5	1
Bhusawal	61	30	25.5	2	..	4	..	20	17.0	2
Bijapur	73	85	60.5	2	..	4	1	15	10.6	1
Cambay†													
Broach	66	52	40.9	3	..	1	..	13	10.2	3
Chalisgaon	34	17	26.0	2	5	4.5	2
Dharwar	75	30	20.8	2	..	1	2	11	7.6	..
Dhulia	87	35	20.9	4	..	3	..	15	8.9	6
Gadag-Betgeri	70	27	20.6	13	..	3	..	33	24.5	..
Godhra	40	21	27.3	1	3	3.9	..
Greater Bombay	3,335	1,372	21.3	4	32	114	2	680	10.6	174
Hubli	144	60	21.6	4	2	13	..	35	12.6	1
Jalgaon	77	35	23.6	5	1	12	8.1	1
Kalyan†													
Kolhapur	155	118	15.2	2	..	5	..	28	9.3	7
Miraj†													
Nadiad	70	45	33.4	10	20	14.8	2
Nandurbar	34	23	35.1	1	1	..	6	9.1	2
Nasik	115	50	22.6	4	..	6	..	31	14.0	3
Navasari	49	21	22.2	3	..	1	..	7	7.4	2
Pandharpur	44	32	37.8	1	1	3	..	7	9.4	2
Malegaon†													
Patan	26	28	31.6	7	7.9	2
Poona	584	304	27.0	11	5	33	5	114	10.1	33
Satara	40	28	36.4	3	..	1	..	15	19.5	1
Sangli	57	19	17.3	1	1	..	6	5.4	1
Sholapur	293	227	40.2	12	1	31	..	92	16.3	18
Surat	245	169	35.8	10	1	17	..	75	15.9	17
TOTAL	7,227	3,755	27.0	129	48	332	12	1,580	11.4	371

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 12th February, 1955—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est (000)	B.	B.R.*	C	S.	P	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar													
Bhopal													
Delhi State													
Delhi City	1,085	494	23.7	37	2	38	..	135	6.5	28
New Delhi	355	230	33.7	1	7	..	61	8.9	8
N.A.C. Civil Station, Delhi	111	83	38.8	2	..	9	4.2	4
Delhi Cantt.	49	27	28.7	3	3.1	1
Delhi Shahdara	51	36	36.7	1	5	5.1	2
TOTAL	1,651	870	27.4				38	3	47	..	213	6.7	43
Madhya Pradesh													
Achalpur	38	19	26.0	1	6	8.2	..
Akola	101	49	25.2	2	20	10.3	8
Amravati	98	79	41.9	..	2	..	7	1	1	..	30	15.9	7
Bilaspur	40	23	29.9	2	4	5.2	1
Burhanpur	77	49	33.1	15	2	22	14.9	..
Cianda	43	29	35.1	2	16	19.3	3
Chhindwara	30	24	41.6	2	..	1	..	13	22.5	5
Hinganghat†													
Kamptee	35	22	32.7	2	10	14.9	..
Gondia	44	18	21.3	5	14	16.5	1
Khandwa	58	10	9.0	2	6	5.4	..
Wardha	45	18	20.8	1	4	4.6	..
Nagpur	513	140	14.2	13	2	11	..	52	5.3	3
Rajpur†													
Yeotmal	40	34	44.2	3	1	15	19.5	4
TOTAL	1162	514	23.0	..	1	..	57	6	13	..	212	9.5	32
Madras													
Ambur	44	17	20.1	2	7	8.3	3
Aruppukottai	55	48	45.4	4	9	2	..	27	25.5	4
Bodinayakanur	39	7	9.3	2	1	6	8.0	..
Cannanore	46	26	29.4	3	1	5	..	17	19.2	2
Chidambaram	38	16	21.9	..	1	13	17.8	3
Coimbatore	227	216	49.5	11	24	2	87	19.9	20
Cuddalore	73	36	25.6	2	8	2	28	19.9	6
Dindigul	88	56	33.1	4	..	3	1	23	13.6	6
Erode	65	30	24.0	1	1	..	10	8.0	..
Gobichetty Palayam	37	7	9.8	1	3	4.2	..
Guddiyattam	51	25	25.5	2	3	2	..	14	14.3	5
Kancheepuram	90	63	36.4	4	11	1	39	22.5	11
Karaikudi	43	32	38.7	2	14	16.9	4
Karur	48	19	20.6	2	1	1	13	14.1	2
Kozhikode	173	85	25.5	6	3	6	..	48	14.4	9
Kumbakonam	102	75	38.3	2	2	4	1	29	14.8	4
Madras	1,650	1,122	35.4	..	2	..	71	144	228	4	823	25.9	210
Mangalore	133	48	18.8	3	..	15	5.9	1
Mathurai	415	289	36.2	..	2	..	13	9	25	1	167	20.9	34
Mayuram	48	20	21.7	1	16	17.3	2
Melapalayam	40	8	10.4	4	2	..	8	10.4	2
Nagapattinam	60	47	40.7	3	8	1	..	1	32	27.7	10
Ottacamund	43	34	41.1	1	3	..	12	14.5	4
Palani	39	22	29.3	2	2	..	6	8.0	..
Palayamkottai	44	51	60.3	4	3	2	..	24	28.4	7
Palghat	76	42	28.7	7	..	19	13.0	6
Periyakulam	33	39	61.5	1	2	5	..	18	28.4	4
Pollachi	49	31	32.9	2	14	14.9	4
Pudukottai	49	5	5.3	1	5	5.3	..
Rajapalayam	67	43	33.4	7	4	..	26	20.2	6
Salem	234	160	35.6	3	5	10	1	60	13.3	8
Srirangam	41	17	21.6	1	4	1	..	14	17.8	..
Srivilliputtur	43	30	36.3	1	1	..	17	20.6	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 12th February, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras—contd.															
Tanjore	115	93	42.1	2	3	1	5	..	44	19.9	8		
Tellicherry	42	17	21.0	..	1	2	1	1	11	13.6	3		
Tiruchirappalli	245	108	22.9	1	10	9	..	87	18.5	12		
Tirunelveli	79	65	42.8	4	6	..	29	19.1	13		
Tiruppur	61	46	39.2	2	6	1	18	15.3	4		
Tiruvannamalai	44	33	39.0	1	1	..	8	9.5	2		
Tuticorin	109	70	33.4	2	7	9	..	40	19.0	11		
Vaniyambadi	42	26	32.2	1	2	2	..	11	13.6	2		
Vellore	121	104	44.7	6	12	3	64	27.5	14		
Villupuram	39	26	34.7	2	2	2	..	15	20.0	1		
Virudunagar	52	38	38.0	1	1	1	..	12	12.0	2		
TOTAL	5,232	3,392	33.7	7	6	..	135	266	414	20	1,993	19.8	454		
Orissa															
Berhampur	70	30	13.4	4	1	10	7.5	2		
Cuttack	114	146	66.7	7	5	6	..	52	23.8	7		
Puri	53	50	49.2	4	1	19	18.7	7		
TOTAL	237	226	49.6	15	7	6	..	81	17.8	16		
Punjab (I)															
Ambala	64	42	34.2	2	..	4	..	9	7.3	1		
Amritsar	335	254	39.5	2	10	..	56	8.7	19		
Batala	61	32	27.4	1	3	2.6	1		
Bhiwani	56	47	43.8	4	..	2	..	10	9.3	4		
Ferozepore	43	18	21.8	1	1	..	4	4.8	..		
Hissar	38	20	27.4	8	..	1	..	9	12.3	3		
Hoshiarpur	50	32	33.4		
Jullundur	194	86	23.1	1	12	..	25	6.7	5		
Karnal	69	34	25.7	1	6	..	9	6.8	2		
Ludhiana	172	132	40.0	7	..	1	..	16	4.8	2		
Moga	40	22	28.7	2	..	2	..	6	7.8	2		
Panipat	62	28	23.5	3	..	2	..	7	5.9	3		
Pathankot	33	25	39.5	4	6	9.5	..		
Rewari	36	22	31.9	3	2	2	..	9	13.0	3		
Rohtak	102	50	25.6	1	..	3	..	9	4.6	3		
Simla	49	13	13.8	6	6.4	1		
Sonapat	33	17	26.9	2	..	2	..	5	7.9	2		
TOTAL	1,437	874	31.6	36	7	48	..	189	6.8	51		
Uttar Pradesh															
Agra	367	273	38.8	..	1	1	35	..	78	11.1	20		
Allahabad	342	173	26.4	..	1	..	1	1	26	1	57	8.7	11		
Amroha	60	51	44.3	5	3	6	..	21	18.2	3		
Bahraich	46	25	28.3	1	..	2	..	5	5.7	..		
Banaras	375	218	30.0	28	5	15	1	132	18.3	26		
Ballaia	34	12	18.4	1	1	6	9.2	1		
Basti	37	4	5.6	2	2	2.8	1		
Bareilly	201	65	16.9	5	1	17	..	27	7.0	3		
Bijnor	31	12	20.2	2	4	6.7	1		
Budaun	54	26	25.1	3	1	7	..	13	12.5	1		
Banda	32	12	19.5	1	..	3	..	8	13.0	3		
Bulandshahr †															
Chandausi	40	24	31.3	3	1	4	..	16	20.8	6		
Dehra Dun	141	70	25.9	..	1	..	1	1	7	1	22	8.1	4		
Etawah	63	45	37.2	3	1	4	..	12	9.9	3		
Faizabad-Ayodhya	85	20	12.2	4	1	7	4.3	..		
Farrukhabad-Fatehgarh	81	44	28.3	4	..	7	..	15	9.6	4		
Ferozabad	76	26	17.8	1	..	5	3.4	1		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil. "N.R." Information not received.

Births and death from principal diseases in towns with a population of over 30,000 in India for the week ending the 12th February, 1955—*contd.*

Town	Mid-year Popn. Est., (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—Contd															
Ghazipur	36	25	36.2	4	..	1	..	13	18.8	1	..	
Ghaziabad	45	33	38.2	2	4	4.6	2	..	
Gonda	34	11	16.9	1	1.5	
Gorakhpur	137	120	45.7	13	5	5	2	36	13.7	7	..	
Hapur	48	33	35.8	..	1	..	3	..	4	..	9	9.8	2	..	
Hardwar	63	20	16.5	7	1	3	..	16	13.2	6	..	
Hathras	61	39	33.3	8	14	12.0	3	..	
Jaunpur	56	30	37.2	4	..	5	..	14	13.0	1	..	
Jhansi	115	58	26.3	21	24	10.9	3	..	
Kanpur	716	382	26.8	107	16	31	4	269	18.9	77	..	
Kasganj	34	9	13.8	1	..	2	3.1	
Khurja	40	20	26.1	1	..	2	..	6	7.8	1	..	
Koil-Aligarh	148	50	17.6	8	..	9	..	22	7.7	3	..	
Lucknow	485	330	35.5	..	15	..	18	6	56	..	165	17.7	41	..	
Mathura	108	29	14.0	5	1	4	..	10	4.8	4	..	
Mau-Nath Bhanjan	37	16	22.5	2	4	5.6	1	..	
Meerut	181	92	26.5	..	1	..	3	..	8	1	20	5.8	1	..	
Mirzapur-Vindhyachal	95	52	28.5	3	1	3	..	15	8.2	5	..	
Moradabad	163	108	34.5	5	..	15	..	35	11.2	12	..	
Muzaffarnagar	72	33	23.9	3	..	6	..	15	10.9	1	..	
Pilibhit	45	27	31.3	..	2	..	5	10	11.6	3	..	
Rampur	154	12	4.1	1	..	1	..	4	1.3	
Saharanpur	158	102	33.7	24	..	9	..	43	14.2	11	..	
Sambhal	64	42	34.2	5	4	7	..	21	17.1	5	..	
Shahjahanpur	99	68	35.8	16	..	3	..	23	12.1	4	..	
Sitapur	48	12	13.0	1	..	1	..	4	4.3	1	..	
TOTAL	5,307	2,853	28.0	..	21	..	329	50	312	11	1,229	12.0	283	..	
West Bengal															
N.R.															
STATES—(Part B)															
Jammu and Kashmir															
"N.R."															
Madhya Bharat															
"N.R."															
Mysore State															
Bangalore City	930	531	29.5	13	40	68	..	201	11.1	
Davanagere	67	30	23.2	9	1	17	13.1	
Kolar Gold Fields	170	94	28.7	3	7	4	..	42	12.8	
Mysore City	285	173	36.4	8	17	10	..	92	19.3	
TOTAL	1,461	828	29.5	33	65	82	..	352	12.5	
PEPSU															
Patiala City	108	52	25.0	..	1	..	8	..	2	..	18	8.7	8	..	
Malerkotla City	34	34	52.2	2	2	3.1	1	..	
Bhatinda	38	16	23.1	3	1	7	10.1	
TOTAL	180	102	29.5	13	1	2	..	27	7.8	9	..	
Rajasthan															
Alwar	60	30	26.0	3	..	1	..	8	6.9	1	..	
Bharatpur	38	10	13.6	1	..	3	4.1	
Bikaner	117	40	17.7	3	1	8	..	20	8.8	2	..	
Churu	46	3	3.3	..	3	4	4.5	2	..	
Ganganagar	45	3	..	3	3.4	
Tonk	45	1	1.1	2	2	2.3	
Sikar	49	4	4.2	1	..	4	..	5	5.3	1	..	
Jaipur	341	49	7.4	10	..	18	..	46	7.0	3	..	
Udaipur	103	8	4.0	2	3	1.3	
Jodhpur	196	67	17.7	..	16	..	20	11	12	1	74	19.6	14	..	
Kotah	71	12	8.7	6	1	10	7.3	1	..	
TOTAL	1,111	224	10.5	..	19	..	47	13	47	1	178	8.3	26	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 12th February, 1955—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Saurashtra														
Bhavnagar	153	52	17.7	..	27	..	5	2	4	..	48	16.3	10	
Dhoraji	46	27	30.5	3	..	2	..	9	10.2	1	
Gondal	40	35	45.5	4	..	2	..	7	9.1	1	
Jamnagar	119	15	6.5	8	..	4	..	23	10.5	3	
Junagadh	65	27	21.6	7	..	1	..	16	12.8	6	
Morvi	42	12	14.9	4	1	5	6.2	2	
Porbandar	63	14	11.6	6	..	1	..	14	11.6	4	
Rajkot	161	70	22.6	12	2	2	..	22	7.1	4	
Surendranagar	41	10	12.5	1	1	1.3	..	
Veraval	45	22	25.4	2	..	1	..	3	3.5	..	
TOTAL	775	284	29.1	..	27	..	52	5	17	..	148	9.9	31	
Travancore-Cochin														
N.R.														

ARREAR RETURNS

Bihar						For w/e the 5th February, 1955											
Arrah	69	2	1.5	2	..	1	..	5	3.8	..
Bettiah	38	16	21.9	2	..	5	6.8	2
Bhagalpur	124	25	10.5	4	17	7.1	..
Bihar	67	32	24.8	5	11	8.5	..
Chapra†													
Darbhanga	92	26	14.7	1	8	4.5	..
Dinapur	44	4	4.7	2	1	3	3.6	..
Dhanbad	40	1	1.3
Gaya	146	33	11.8	14	..	13	..	40	14.3	..
Jamalpur	46	9	10.2	1	4	4.5	..
Jamshedpur	241	135	29.1	1	..	1	..	23	5.0	4
Monghyr	79	6	4.0	5	3.3	..
Muzaffarpur	82	26	16.5	9	..	1	..	27	17.1	..
Hazaribag	38	8	11.0
Patna	321	221	35.8	7	..	2	1	43	7.0	..
Ranchi	126	22	9.1	4	8	3.3	..
Purulia	46	6	6.8	3	3	3.4	..
Katihar	49	2	2.1	..
TOTAL					1,648	572	18.0	53	..	20	2	204	6.4	6

West Bengal					For w/e the 5th February, 1955													
Asansol†																		
Baidyabati	33	10	15.8	3	4.7	1	
Bally	65	8	6.4	1	0.8	..	
Bankura	50	13	13.6	2	2.1	..	
Bansberia†																		
Baranagar	87	35	20.9	3	3	4	..	15	9.0	..
Basirhat	39	6	8.0	3	4.0	..	
Berhampur	62	50	42.1	3	..	1	..	13	10.9	..
Bhadreswar	34	2	3.1	1	1	5	7.7	..
Bhatpara	141	24	8.9	10	1	7	1	33	12.2	9
Budge-Budge	32	5	8.1	1	1	1	..	6	9.8	2
Burdwan	81	13	8.4	1	1	..	5	3.2	..
Calcutta	2,931	1,014	18.0	..	1	..	41	51	163	2	619	11.0	170
Champadani	40	8	10.4	2	2.6	..
Cooch Behar	41	11	14.0	3	5	6.4	..
Darjeeling†																		
English-Bazar	35	26	38.7
Garden Reach	121	24	10.3	5	..	1	1	17	7.3	3
Halisahar	40	3	3.9	1	3	3.9	1
Hooghly-Chinsurah	60	46	40.0	3	..	5	..	12	10.4	2
Howrah	471	152	16.8	1	14	39	..	109	12.1	31
Jalpaiguri†																		
Kamarhati†																		
Kanchrapara	71	17	12.5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 12th February, 1955—*concl'd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
West Bengal—contd.														
Krishnagar	55	4	3.8
Midnapore	44	41	48.6	1	3	12	14.2
Nabadwip	67	32	24.9	4	1	8	6.2
Naihati	61	3	2.6	2	1	3	1	7	6.0
North Barrackpore	36	3	4.3	1	2	..	3	4.3
Pandharpur†														
Shantipur	48	16	17.4	1	3	3.3
Serampore	82	32	20.3	1	2	5	..	17	10.8	5	..
Siliguri†														
South Dum-Dum	79	35	23.1	2	1.3
South Suburban	120	20	8.7	1	..	4	..	14	6.1	5	..
Titagarh	76	19	13.0	6	..	1	..	8	5.5	2	..
TOTAL	5,102	1,672	17.0	..	1	..	88	76	237	9	927	9.4	231	
Bombay														
For w/e 22-1-1955														
Ahmedabad	870	664	39.1	5	5	79	..	236	14.1	67	..
Ahmednagar	87	68	40.6	3	3	5	..	24	14.3	7	..
Amalner	49	30	31.8	3	7	7.4
Bagalkot	36	24	34.6	4	12	17.3
Baroda	237	241	52.8	17	2	15	..	63	13.8	13	..
Barsi	45	27	31.2	2	1	2	..	13	15.0	3	..
Belgaum	109	70	33.3	2	1	7	..	39	18.6	10	..
Bhusawal	61	21	17.9	2	6	5.1
Bijapur†														
Cambay†														
Broach	66	50	39.3	1	..	7	..	17	13.3	4	..
Chalisgaon	34	19	29.0	5	8	12.2	3	..
Dharwar	75	30	20.8	6	1	5	..	26	18.0	2	..
Dhulia	87	44	26.2	3	..	4	..	12	7.1	4	..
Gadag-Betgeri	70	38	28.1	2	1	3	..	19	14.1	5	..
Godhra	40	30	39.0	5	7	9.1	2	..
Greater Bombay	3,335	1,463	22.8	..	4	..	1	23	98	1	647	10.0	170	..
Hubli	144	65	23.4	3	3	4	..	29	10.4	2	..
Jalgaon	77	37	24.9	4	8	5.4
Kalyan	70	29	21.5	1	1	3	..	9	6.6	3	..
Kolhapur	155	96	32.2	3	2	21	..	53	17.7	8	..
Miraj†														
Nadiad	70	54	40.1	7	..	3	..	21	15.6	2	..
Nandurbar	34	16	24.4	2	1	9	13.7	3	..
Nasik	115	65	29.3	2	..	2	..	26	11.7	9	..
Navasari	49	32	33.9	8	10	10.6	2	..
Pandharpur	44	35	41.3	3	1	1	..	9	10.6	5	..
Malegaon	62	23	19.2	..	13	..	18	1	9	..	47	39.4	11	..
Patan	46	48	54.2	8	..	2	..	22	24.8	4	..
Poona	584	309	34.3	5	2	34	3	121	10.7	29	..
Satara	40	34	40.4	1	1	6	..	15	19.5
Sangli	57	33	30.1	2	..	3	..	11	10.0	2	..
Sholapur	293	254	45.0	20	2	34	1	108	19.1	27	..
Surat	245	154	32.6	6	1	13	3	70	14.0	22	..
TOTAL	7,286	4,103	29.3	..	17	..	152	51	362	9	1,704	12.2	419	
Travancore-Cochin														
For w/e the 5-2-1955														
Alleppy	142	82	30.0	1	5	1.8
Changanachery	40	24	31.2	1	6	7.8	3	..
Ernakulam	69	40	30.1	3	..	1	..	12	9.0	1	..
Kottayam	49
Mattancherry	83	28	1	..	2	..	12	7.5	1	..
Nagercoil	91	32	18.3	3	7	4.0	2	..
Quilon	73	51	36.3	2	13	9.3	1	..
Trichur	75	42	29.1	1	5	..	14	9.7	3	..
Trivandrum City	213	196	47.9	1	5	5	3	43	10.3	5	..
TOTAL	835	495	30.8	10	8	13	3	112	7.0	16	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 12th February 1955, relate to 200 towns with an estimated population of 26,921 thousands. The total number of towns is 300 and their population is 38,987 thousands. Thus, 67% of the total number of towns representing 69% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,526 and 6,519 representing birth and death rates of 28·1 and 12·6 per thousand of population respectively.

(a) *States (Part A and Part C).*—The data here relate to 172 towns with an estimated population of 23,394 thousands. Information about Ajmer, Assam, Bihar, Bhopal, and West Bengal could not be included. The total number of towns is 252 and their population is 32,571 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered. The number of births

and deaths recorded in these towns were 13,088 and 5,814 representing birth rates and death rates of 29·1 and 12·9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 28 towns with an estimated population of 3,527 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 58% of the total number of towns representing 55% of the total population is covered. The number of births and deaths recorded in these towns were 1,438 and 705 representing birth and death rates of 21·2 and 10·4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 22-1-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Andhra . . .	27·5	14·4	27·3	15·0	†	†
Bombay . . .	27·0	11·4	25·3	14·3	31·2	17·7
Delhi . . .	27·4	6·7	27·4	7·8	30·5	10·5
Madhya Pradesh .	23·0	9·5	20·5	9·1	25·6	12·4
Madras . . .	33·7	19·8	31·7	19·8	†	†
Orissa . . .	49·6	17·8	46·8	22·1	40·7	24·7
Punjab (I) . . .	31·6	6·8	31·6	8·4	28·6	9·7
Uttar Pradesh . .	28·0	12·0	28·3	14·0	32·2	16·6
India (only States Parts A and C)	29·1	12·9	28·8	14·3	29·9	17·0

† Figures not available.

NEW DELHI-2 (INDIA) ;

The 7th March, 1955

K. MITRA,
for Registrar, General, India.

